

Table 5.2 Day of the week recalled for all 24-H-Rs conducted during the survey (n = 2797)

Day of the week	Frequency	Percentage (%)
Monday	536	19.2
Tuesday	682	24.4
Wednesday	674	24.1
Thursday	307	11.0
Friday	145	5.2
Saturday	46	1.6
Sunday	407	14.6
Total	2797	100

Table 5.3 Percentage children whose 24-H-Rs were considered “normal” or “usual” by the interviewee (n = 2756)

Response	Frequency	Percentage (%)
Yes	2644	95.9
No	112	4.1
Total	2756	100

Table 5.4 The type of fat usually eaten on bread (n = 2747)

Type of fat	Frequency	Percentage (%)
Butter	65	2.4
Hard Margarine	1737	63.2
Medium Spread	276	10.0
Polyunsaturated	83	3.0
White Fat	12	0.4
Ghee	0	0.0
Peanut Butter	80	2.9
Butro	10	0.4
None	454	16.5
Other	30	1.1
Total	2747	100

Table 5.5 The type of fat usually used in cooking (n = 2808)

Type of fat	Frequency	Percentage (%)
Butter	19	0.7
Hard Margarine	131	4.7
Medium Fat	14	0.5
Polyunsaturated	36	1.3
White Fat	304	10.8
Ghee	3	0.1
Peanut Butter	4	0.1
Butro	4	0.1
Sunflower Oil	2092	74.5
Canola Oil	49	1.7
Olive Oil	36	1.3
None	61	2.2
Other	55	2.0
Total	2808	100

Table 5.6 The type of bread usually eaten by the child (n = 2802)

Type of bread	Frequency	Percentage (%)
White	1091	38.9
Brown	1626	58.0
Whole wheat	17	0.6
None	68	2.4
Total	2802	100

Table 5.7 Type of milk usually drunk by the child (n = 2757)

Type of milk	Frequency	Percentage (%)
1. Condensed WM	17	0.6
2. Condensed SM	6	0.2
3. Condensed ND	6	0.2
SUBTOTAL	29	1.0
4. Evaporated WM	27	1.0
5. Evaporated SM	2	0.1
6. Evaporated ND	1	0.0
SUBTOTAL	30	1.1
7. ND Creamer	463	16.8
8. WM Powder	152	5.5
9. SM	26	0.9
10. WM	1439	52.2
11. Blends	15	0.5
12. 2 % skimmed	35	1.3
13. Longlife	68	2.5
14. Soy milk	2	0.1
15. Breast milk	75	2.7
16. Goat milk	11	0.4
17. Formula (BMS)	60	2.2
18. None	352	12.8
SUBTOTAL	2698	97.9
Total	2757	100

WM = Whole milk, SM = Skim milk, ND = Non-dairy, BMS = Breast Milk Substitute

Table 5.8 Percentage of children who had eaten at a feeding scheme/crèche on the previous day (n = 2746)

Response	Frequency	Percentage (%)
Yes	334	12.2
No	2412	87.8
Total	2746	100

Table 5.9 Type of scheme where the child ate the day preceding the interview (n = 252)

Feeding scheme*	Frequency	Percentage (%)
PEM	10	4.0
PSNP	159	63.1
NGO	13	5.2
Self-funded	70	27.8
Total	252	100

PEM = Protein Energy Malnutrition

PSNP = Primary School Nutrition Programme

NGO = Non-Government Organisation

Table 5.10 The caregiver's perception of hunger, whether the child ate from the family pot and shared a plate with siblings on the day preceding the interview

Hunger perception	Frequency	Percentage (%)
Yes	166	6.1
No	2487	90.9
Don't Know	82	3.0
Total	2735	100
Ate from Same Pot	Frequency	Percentage (%)
Yes	2555	93.6
No	164	6.0
Don't Know	12	0.4
Total	2731	100
Shared a Plate	Frequency	Percentage (%)
Yes	281	10.3
No	2429	89.1
Don't Know	15	0.6
Total	2725	100